

San Benito County Health Dept, Environmental Health Division

351 Tres Pinos Rd., Ste C-1 Hollister, CA 95023. 831 636 4035, Fax: 831 636 4037

APPLICATION FOR A PERMIT TO INSTALL, UPGRADE OR REPAIR UNDERGROUND STORAGE TANK(S) FOR HAZARDOUS SUBSTANCES

1. This application is valid for six (6) months from the date of application. 2. Three copies of drawings must be submitted. 3. Fees must be submitted with this application (each tank compartment is considered a separate tank). 5. Each tank, or compartment, even if identical, must have a separate UST tank form completed. 6. Contact Department for fees applicable Upgrade-Including Piping Upgrade-No-Piping* Repair** Spill Container Only Install * Upgrade-No Piping: Includes UDC installation or sump installation. ** Repair: Includes replacement of the leak detection console or the repair of a leaking pipe. ASSESSORS PARCEL NUMBER CONTRACTOR PHONE ____ CONTRACTOR ADDRESS _____ CITY ZIP Lic.# CLASSIFICATIONS CONTRACTOR SIGNATURE DATE PRINT NAME **FACILITY** FACILITY ADDRESS CITY ZIP PHONE ____ OWNER NAME

OWNER ADDRESS _____ CITY ____ ZIP ____

OWNER MAILING ADD. CITY ZIP

- 1. This document shall be completed & submitted to the Environmental Health Div along with site-specific drawings and supporting forms.
- 2. In the table below, check the box for any component that will be **installed**, **replaced or modified**. List the manufacturer name and specific model number for each piece of **new** equipment. If an item is not applicable to this project, check the "N/A" box.
- 3. For a list of items that must be included in the site specific drawings refer to the "Drawings & Parts List" document.
- 4. Each item marked "Yes" must be clearly called out in the site-specific drawings.

EH Use		Will be replaced,	If "Yes", list the Name of	If "Yes" list the
Only	Equipment	repaired or	Equipment Manufacturer	Model Number
		installed?	(for the new equipment only)	(for the new equipment only)
	Tank(s)	Yes No	□N/A	□N/A
	Primary Product Pipe	Yes No	□N/A	□N/A
	Secondary Product Pipe	Yes No	□N/A	□N/A
	Primary Vapor Return Pipe	Yes No	□N/A	□N/A
	Secondary Vapor Return Pipe	Yes No	□N/A	□N/A
	Primary Vent Pipe	Yes No	□N/A	N/A
	Secondary Vent Pipe	Yes No	□N/A	N/A
	Product Sumps, top- hat, and top-hat lids.	Yes No	□N/A	□N/A
	Fill Sumps, top-hats, and top-hat lids.	Yes No	□N/A	□N/A
	Man-way lids for sumps.	Yes No	□N/A	N/A
	Under Dispenser Containment (UDC)	Yes No	□N/A	□N/A
	Leak Detection Console	Yes No	□N/A	□N/A
	Tank Interstitial Space Sensor	Yes No	□N/A	□N/A
	Product Sump Sensor	Yes No	□N/A	□N/A
	Fill Sump Sensor	Yes No	□N/A	□N/A
	Low Point or Vapor Pot Sensor	Yes No	□N/A	□N/A
	UDC Sensor or Float	Yes No	□N/A	□N/A

In-Tank Probe (e.g. ATG)	Yes	No	□N/A	□N/A
External Overfill Alarm	Yes	No	□N/A	□N/A
Drop Tube or Drop Tube with Overfill Device	Yes	No	□N/A	□N/A
Ball Float Valves	Yes	No	□N/A	□N/A
Ball Valves	Yes	No	□N/A	□N/A
Extractor Tees	Yes	No	□N/A	□N/A
Flex Connectors	Yes	No	□N/A	□N/A
Flex Connector Boots	Yes	No	□N/A	□N/A
Vent Transition Containment Sump	Yes	No	□N/A	□N/A
Line Leak Detector	Yes	No	□N/A	□N/A
Penetration Fittings (pipe & conduit)	Yes	No	□N/A	□N/A
Pipe Centralizer or Spacer	Yes	No	□N/A	□N/A
Shear Valves (product & vapor)	Yes	No	□N/A	□N/A
Dispenser Hoses	Yes	No	□N/A	□N/A
Dispensers	Yes	No	□N/A	□N/A
Dispenser Hose Break- away Connectors	Yes	No	□N/A	□N/A
Dispenser Nozzles	Yes	No	□N/A	□N/A
Spill Containment & Lids	Yes	No	□N/A	□N/A
Test and Reducer Boots	Yes	No	□N/A	□N/A
Turbines	Yes	No	□N/A	□N/A
Vent Caps	Yes	No	□N/A	□N/A
Remote Fill Primary Pipe	Yes	No	□N/A	□N/A
Remote Fill Secondary Pipe	Yes	No	□N/A	□N/A
Low Point Or Transition Sump	Yes	No	□N/A	□N/A
VPH System & Sensors (Veeder-Root, Beadreau, other.)	Yes	No	N/A	□ N/A
EVR Phase II Vapor Recovery Equipment	Yes	No	□N/A	□ N/A

GENERAL INFORMATION (FOR ALL APPLICATIONS)

I) REASON FOR UPG		
		TATE/FEDERAL REQUIREMENTS
PIPING SYSTEM F		
OTHER, BRIEFLY	DESCRIDE:	
ESTIMATED STARTIN	IG DATE	_ ESTIMATED COMPLETION
DISTANCE OF UST(S)	FROM NEAREST WELL	FEET (minimum distance shall be 100 ft.)
DEPTH TO USABLE G	ROUND WATER (IF KNOW	⁷ N)
TYPE OF SYSTEM:	☐ PRESSURE ☐ SUCT ☐ EMERGENCY GENERA	TION SAFE SUCTION GRAVITY
·		NTS THAT WILL BE MODIFIED, INSTALLED OR REPLACED):
	NSTALLATIONS:	
A) MONITORING EQ	QUIPMENT:	
	PANY THAT WILL INSTALL	., CALIBRATE & PROGRAM THE MONITORING EQUIPMENT:
		PHONE #:
CONTRACTORS LICE	NSE NUMBER AND CLASS	IFICATION:
MANUFACTURER TO	O INSTALL, CALIBRATE & I	ONTRACTOR WHO ARE CERTIFIED BY THE PROGRAM THIS MAKE/MODEL OF MONITORING
		EM MANUFACTURER'S TRAINING CERTIFICATION [FOR THE LATION & PROGRAMMING].
	OCOPY OF MANUFACTUR	RER TRAINING CERTIFICATE FOR THE TANK, PIPE AND ALL STALLED, REPLACED OR REPAIRED.
• ATTACH A PHOTO SITE SUPERVISING		ALLER CERTIFICATION FOR THE PERSON THAT WILL BE ON
C) ENHANCED LEAK NAME OF COMPANY	TOTAL CONTROL (CLD): THAT WILL PERFORM TH	E ELD TEST:
ADDRESS:		PHONE:

• ATTACH A PROGRAM OF ENHANCED LEAK DETECTION (FROM THE COMPANY THAT WILL PERFORM THE ELD TEST). THE PROGRAM MUST INCLUDE MAXIMUM DISTANCES BETWEEN THE PROBES/CONDUIT AND THE UST SYSTEM.

D) <u>VACUUM, PRESSURE OR HYDROSTATIC SYSYEM (VPH):</u>
INDICATE WHAT TYPE OF CONTINUOUS VPH MONITORING WILL BE UTILIZED FOR:
• THE UST INTERSTICE VACUUM PRESSURE HYDROSTATIC
• THE PRODUCT PIPE INTERSTICE VACUUM PRESSURE HYDROSTATIC
• THE VAPOR RECOVERY PIPE INTERSTICE VACUUM PRESSURE HYDROSTATIC
• THE VENT PIPE INTERSITCE VACUUM PRESSURE HYDROSTATIC
• THE TURBINE SUMP INTERSTICE VACUUM PRESSURE HYDROSTATIC
• THE FILL SUMP INTERSTICE VACUUM PRESSURE HYDROSTATIC
• THE VENT BOX INTERSTICE VACUUM PRESSURE HYDROSTATIC
III) <u>FOR UPGRADES AND APPLICABLE REPAIRS</u> :
A) MONITORING EQUIPMENT:
NAME OF THE COMPANY THAT WILL INSTALL, CALIBRATE & PROGRAM THE MONITORING
EQUIPMENT:
ADDRESS: PHONE #:
LICENSE NUMBER AND CLASSIFICATION:
NAMES OF PERSONNEL EMPLOYED BY THIS CONTRACTOR WHO ARE CERTIFIED BY THE MANUFACTURER TO INSTALL, CALIBRATE & PROGRAM THIS MAKE/MODEL OF MONITORING EQUIPMENT:
• ATTACH A COPY OF MONITORING SYSTEM MANUFACTURER'S CERTIFICATION (FOR THE EMPLOYEE THAT WILL PERFORM THE INSTALLATION & PROGRAMMING).
B) <u>OTHER CERTIFICATIONS</u> • ATTACH A PHOTOCOPY OF MANUFACTURER TRAINING CERTIFICATE FOR THE TANK, PIPE AND ALL OTHER UST COMPONENTS THAT WILL BE INSTALLED, REPLACED OR REPAIRED.
• ATTACH A PHOTOCOPY OF THE ICC INSTALLER CERTIFICATION FOR THE PERSON THAT WILL BE ON SITE SUPERVISING ALL UST WORK.
C) <u>SAMPLING:</u> COMPANY NAME, ADDRESS AND PHONE NUMBER THAT WILL PERFORM SOIL AND OR WATER SAMPLING:
NAME, ADDRESS, PHONE NUMBER AND CA STATE CERTIFICATION NUMBER FOR THE LAB THAT WILL PERFORM THE ANALYSIS ON THE SOIL AND OR WATER SAMPLES:
THE OWNER OR HIS AGENT SHALL BE RESPONSIBLE FOR CONTRACTING WITH AN INDEPENDENT.

QUALIFIED THIRD PARTY TO COLLECT SAMPLES. THE OWNER OR HIS AGENT SHALL HAVE THE SAMPLES ANALYZED AT A STATE APPROVED ANALYTICAL LABORATORY FOR PRODUCT CONSTITUENTS AS REQUIRED BY REGULATIONS. BRASS, STAINLESS STEEL, OR TEFLON TUBES SHALL BE USED TO TAKE SOIL SAMPLES. GLASS CONTAINERS (I.E., VOLATILE ORGANIC ANALYSIS BOTTLES) SHALL BE USED TO TAKE WATER SAMPLES. OTHER SAMPLING ARRANGEMENTS SHALL BE APPROVED IN ADVANCE BY SBCEH ON A CASE-BY-CASE BASIS. THE OWNER OR HIS AGENT SHALL BE RESPONSIBLE FOR MAKING ALTERNATIVE ARRANGEMENTS IN ADVANCE WITH SBCEH VIA AN APPROVED WRITTEN REQUEST. SAMPLING PERSONNEL SHALL BE ON-SITE AT THE TIME OF THE SAMPLING INSPECTION.

V) OWNER ACKNOWLEDGEMENT

I DECLARE THAT TO THE BEST OF MY KNOWLEDGE THE STATEMENTS AND INFORMATION PROVIDED ARE CORRECT AND TRUE. I UNDERSTAND THAT INFORMATION, IN ADDITION TO THAT PROVIDED IN THIS APPLICATION, MAY BE NEEDED IN ORDER TO OBTAIN A PERMIT FROM THE SAN BENITO COUNTY EH AND THAT NO WORK IS TO BEGIN ON ANY PORTION OF THE UST SYSTEM OR THE UST LEAK DETECTION SYSTEM UNTIL THE AUTHORITY TO CONSTRUCT LETTER (PERMIT) IS ISSUED.

I UNDERSTAND THAT ANY CHANGES IN DESIGN, MATERIALS OR EQUIPMENT WILL **VOID** MY AUTHORITY TO CONSTRUCT (PERMIT) **IF PRIOR APPROVAL IN WRITING IS NOT OBTAINED**.

I UNDERSTAND THAT ANY INSPECTION APPOINTMENTS MUST BE ESTABLISHED WITH THE EH AT LEAST TWO WORKING DAYS (48 HOURS) IN ADVANCE.

TANK OWNER'S SIGNATURE	DATE
PRINTED NAME	PHONE
TITLE _	

NO UST CONSTRUCTION ACTIVITIES CAN PROCEED PRIOR TO ISSUANCE OF AN 'APPROVAL' LETTER (PERMIT) BY THE SAN BENITO COUNTY ENVIRONMENTAL HEALTH DIVISION (SBCEH).

V) ADDITIONAL ITEMS:

- FOR ALL APPLICATIONS SUBMIT (EXCEPT REPAIR OF DAMAGED PIPE):
 - A UST WRITTEN MONITORING PLAN.
 - THREE SETS OF DRAWINGS (REFER TO THE "DRAWINGS AND PARTS LIST" DOCUMENT FOR THE ITEMS TO BE INCLUDED).
 - IF A SUBCONTRACTOR IS UTILIZED TO WORK ON THE UST SYSTEM THE NAME, ADDRESS, PHONE NUMBER, AND CONTRACTORS LICENSE NUMBER MUST BE SUBMITTED WITH THIS APPLICATION.
- FOR INSTALLATION APPLICATIONS SUBMIT:
 - A CERTIFICATE OF FINANCIAL RESPONSIBILITY.
 - A HAZARDOUS MATERIALS BUSINESS PLAN.
- FOR THE INSTALLATION, MODIFICATION OR REPAIR OF A CATHODIC PROTECTION SYSTEM COMPLETE AND SUBMIT THE:
- "CATHODIC PROTECTION SYSTEM INSTALLATION, MODIFICATION AND REPAIR ADDENDUM" FORM.

Site Plan:

N T			

THIS PAGE FOR EH USE ONLY

UPGRADE & REPAIR SAMPLING NOTES

Site Name:		Date:
Site Address:		Inspector:
Sampler Name:	Company Name:	
Address & Phone Number:		
Laboratory Name, Address & Phone:		
Analysis Required:		

FOR EH USE ONLY				
DATE APPLICATION REC	Z'D	FEE REC'D		
CHECK #	OTHER	RECEIPT #		
BY		BY	_ Date:	